


LARSON · JUHL

ACCESSORIES



CONTENTS



| | |
|--|----|
| WIRES & CORDS | 4 |
| Super SoftStrand, SoftStrand, Surflon, Crimping Sleeves, Fletcher Wire Winders, Hanging Cord. | |
| V-NAILS & WEDGES | 5 |
| Cassese Cartridge Nails, Cassese "UNI" V-Nails, Cassese "AL" V-Nails, Fletcher V-Nails, Fletcher V-Lock Wedges. | |
| TAPES & TAPE GUNS | 6 |
| Lineco Tapes, Specialty Tapes, Backing Tapes, "ATG" Tapes, "ATG" Tape Gun, Miscellaneous Tapes. | |
| GUNS & POINTS | 8 |
| Fletcher Frammer Point Gun (Black) & Points, Fletcher Flexi Point Gun (Green) & Points, Fletcher Multi Master Gun (Yellow) & Points, Cassese Flexi Gun (Red) & Points, Cassese Pneumatic Flexi Guns (Red) & Points, Fasco Pneumatic Staple Guns & Staples. | |
| HANDTOOLS & RULERS | 10 |
| Rulers, Fletcher Tools, Hand Tools, Attach-Ez Products. | |
| CONSUMABLES | 12 |
| Screws, Picture Hooks, Bumpons, D. Rings, Glass Cleaners, Sprays, Mounting Systems | |
| BLADES & GLASS CUTTING WHEELS | 16 |
| Fletcher 3100, 3000 & 8400 Items, Fletcher 1100, 2200 & 2100 Items, Blades, Saws and Cutting Wheels. | |
| EDUCATIONAL BOOKS | 17 |
| HANGING SYSTEMS | 19 |
| Track, Hooks, Hangers, Looped Stainless Steel Cables, Track Ends, Click Rail, Perlon Wire, Steel Wire, Picture Hooks, Art Hanging Solutions. | |
| FOAMCORE PRODUCTS | 21 |
| Foamboards, Fluteboard, Gatorfoam, Mightycore | |
| TRU VUE GLASS & ACRYLIC | 24 |
| Clear UV Glass, Non-Glare Glass, Non-Glare UV Glass, Anti-Reflective Glass, Perfect Vue Glass, Clear Acrylic, Non-Glare Acrylic, Anti Reflective Acrylic. | |
| FRAMING MACHINERY | 26 |
| Fletcher cutters, Cassese joiners, Leonardo compressor. | |
| COMPUTER MAT CUTTING SYSTEMS | 31 |
| Wizard Computerized Mat Cutters, Wizard Integrated Software. | |
| VACUUM PRESS | 33 |
| INDEX | 34 |

WIRES & CORDS

Super SoftStrand

Super Softstrand is a **plastic coated stainless steel wire** that ends pricked fingers and wall marks. Strong, yet flexible, it is easy to tie and requires no crimping tool or sleeves. Available in 6 strengths.



| Item Code | Specifications |
|-----------|----------------|
| 9W2S | 7kg x 457m |
| 9W3S | 9kg x 343m |
| 9W4S | 11kg x 259m |
| 9W5S | 20kg x 152m |
| 9W6S | 27kg x 84m |
| 9W8S | 45kg x 38m |

SoftStrand

Softstrand is an **uncoated stainless steel wire**. Strong, yet flexible, it is easy to tie and requires no crimping tool or sleeves. Available in 4 strengths.



| Item Code | Specifications |
|-----------|----------------|
| 9WSS2 | 9kg x 345m |
| 9WSS4 | 16kg x 190m |
| 9WSS6 | 23kg x 145m |
| 9WSS8 | 27kg x 115m |

Surflon

Surflon is a **Nylon coated stainless steel crimping wire**. It uses crimping pliers with surflon sleeves. It gives a very professional look, and with no knot to be tied is very time efficient. Available in 3 strengths.



| Item Code | Specifications |
|-----------|-------------------------|
| 9WSS12 | 18kg x 305m #2-3 Sleeve |
| 9WSS14 | 27kg x 305m #4 Sleeve |
| 9WSS17 | 48kg x 305m #7 Sleeve |

Crimping Sleeves

Surflon crimping sleeves are specifically designed to be used with **Surflon wire**. It is important that the correct sleeve is used with the weight of wire for which it is recommended.



| Item Code | Specifications |
|-----------|----------------------|
| N22193B | #2-3 Sleeve (1000pk) |
| N22194B | #4 Sleeve (1000pk) |
| N22196B | #7 Sleeve (1000pk) |

Fletcher Wire Winders

Wire winders make neat work of finishing picture hanging wires on the back of the frame. No more painful pokes on your fingers. Includes 3 sizes for different wire sizes.



| Item Code | Specifications |
|-----------|--------------------------------|
| N09500 | Wire Winders (3 Sizes in Pack) |

Hanging Cord: (not pictured)

Nylon cord is a cost-effective alternative to wire, for the hanging of frames.

| Item Code | Specifications |
|-----------|-----------------------------|
| 9CRD100 | 2mm White Nylon Cord x 100m |
| 9CRD500 | 2mm White Nylon Cord x 500m |

Cassese Cartridge Nails*

Cassese glue free, disposable cartridges, are manufactured to precise standards to avoid jamming and are designed to drive smoothly & cleanly into the frame, pulling corners tightly together.



| Item Code | Specifications | Cartridges /V-nails | Colour |
|-----------|----------------|---------------------|------------|
| 9V3CSA | 3mm Softwood | 6 (1650) | Green |
| 9V5CSA | 5mm Softwood | 6 (1650) | Orange |
| 9V7CSA | 7mm Softwood | 6 (1650) | Pink |
| 9V10CSA | 10mm Softwood | 6 (1650) | Light Blue |
| 9V12CSA | 12mm Softwood | 6 (1650) | Dark Blue |
| 9V15CSA | 15mm Softwood | 6 (1650) | White |
| 9V7CHA | 7mm Hardwood | 6 (1650) | Pink |
| 9V10CHA | 10mm Hardwood | 6 (1650) | Light Blue |
| 9V12CHA | 12mm Hardwood | 6 (1650) | Dark Blue |
| 9V15CHA | 15mm Hardwood | 6 (1650) | White |
| 9V5CSB | 5mm Softwood | 40 (11000) | Orange |
| 9V7CSB | 7mm Softwood | 40 (11000) | Pink |
| 9V10CSB | 10mm Softwood | 40 (11000) | Light Blue |
| 9V12CSB | 12mm Softwood | 40 (11000) | Dark Blue |
| 9V15CSB | 15mm Softwood | 40 (11000) | White |
| 9V7CHB | 7mm Hardwood | 40 (11000) | Pink |
| 9V10CHB | 10mm Hardwood | 40 (11000) | Light Blue |
| 9V12CHB | 12mm Hardwood | 40 (11000) | Dark Blue |
| 9V15CHB | 15mm Hardwood | 40 (11000) | White |

*Suitable only for Cassese machines.

Fletcher V-Nails

Cartridge V-Lock nails used in Fletcher V-Lock 5000 and 5100 underpinners. Special tip can be used for both soft or hardwood.



| Item Code | Specifications | Cartridges /V-nails |
|-----------|----------------|---------------------|
| 9V7F | 7mm Nails | 7 / (1650) |
| 9V10F | 10mm Nails | 7 / (1650) |
| 9V12F | 12mm Nails | 7 / (1650) |
| 9V15F | 15mm Nails | 7 / (1650) |

V-NAILS & WEDGES

Cassese "UNI" V-Nails

Cassese Universal wedges are made from high carbon steel to precise tolerances. They are suitable for **Morso, Gielle, Inglet**, & most other V-nailers.



| Item Code | Specifications | V-nails/Box | Box Colour |
|-----------|----------------|-------------|------------|
| 9V5UNIS | 5mm Softwood | (8000) | White |
| 9V7UNIS | 7mm Softwood | (8000) | White |
| 9V10UNIS | 10mm Softwood | (8000) | White |
| 9V12UNIS | 12mm Softwood | (8000) | White |
| 9V15UNIS | 15mm Softwood | (8000) | White |
| 9V7UNIH | 7mm Hardwood | (8000) | Red |
| 9V10UNIH | 10mm Hardwood | (8000) | Red |
| 9V12UNIH | 12mm Hardwood | (8000) | Red |
| 9V15UNIH | 15mm Hardwood | (8000) | Red |

Cassese "AL" V-Nails

Cassese "AL" wedges are made from high carbon steel to precise tolerances. They are suitable for **Minigraph** and **Alfamachine** V-nailers.



| Item Code | Specifications | V-nails/Box | Box Colour |
|-----------|----------------|-------------|------------|
| 9V5ALS | 5mm Softwood | (8000) | Grey |
| 9V7ALS | 7mm Softwood | (8000) | Grey |
| 9V10ALS | 10mm Softwood | (8000) | Grey |
| 9V12ALS | 12mm Softwood | (8000) | Grey |
| 9V15ALS | 15mm Softwood | (8000) | Grey |
| 9V7ALH | 7mm Hardwood | (8000) | Black |
| 9V10ALH | 10mm Hardwood | (8000) | Black |
| 9V12ALH | 12mm Hardwood | (8000) | Black |
| 9V15ALH | 15mm Hardwood | (8000) | Black |

TAPES & TAPE GUNS

Lineco Tapes



Lineco provides framers with mounting and hinging tapes that are far superior to common tapes and adhesives found elsewhere. All papers and adhesives that are used in the manufacture of Lineco products are **acid-free** and carefully controlled to assure **archival quality**.

| Item Code | Specifications |
|-----------|---|
| L533-0751 | Gummed Paper Tape 25mm x 40m |
| L533-0752 | Hayaku Gummed Japanese Paper 25mm x 36m |
| L533-1055 | Self Adhesive Linen Tape 32mm x 46m |

| | |
|------------|--|
| LL387-0151 | Frame Sealing Tape 32mm x 30m |
| LL533-0017 | Transparent Mending Tissue 12mm x 15m |
| LL533-0125 | Self Adhesive Mounting Tissue 25mm x 10m |
| LL533-1015 | Self Adhesive Linen Tape 32mm x 10m |
| LL533-1025 | Gummed Linen Tape 25mm x 9m |
| LL533-1050 | Gummed Linen Tape 25mm x 46m |
| LL533-2000 | Museum Mounting Kit |
| LL533-2020 | Gummed Linen Tape 50mm x 91m |

Specialty Tapes



| Item Code | Specifications | Description |
|-----------|----------------------------------|--|
| NS2000S | 20mm Framers Tape II - White | Framers Tape II is stronger and thinner than linen & paper tapes. It is non-porous and moisture proof. |
| NS2000L | 25mm Framers Tape II - White | |
| NS2000LC | 25mm Framers Tape II - Clear | |
| N1175 | 20mm Double sided Stitchery Tape | Adheres fabrics without adhesive bleed. |

Backing Tapes



| Item Code | Specifications | Description |
|-----------|-------------------------|---|
| 9BTS | 24mm Brown Kikisui Tape | Brown backing tape for a neat, professional finish. |
| 9BTM | 36mm Brown Kikisui Tape | |
| 9BT | 50mm Brown Kikisui Tape | |
| 9BTL | 72mm Brown Kikisui Tape | |
| 9WTM | 36mm White Kikisui Tape | White backing tape for a neat, professional finish. |
| 9WT | 50mm White Kikisui Tape | |

"ATG" Tapes



| Item Code | Specifications | Description |
|-----------|---|---|
| N45912 | 12mm Reverse Wound Tissue Tape | Hand applied ATG |
| 919006 | 6mm Kikisui Tissue Tape x 50m | Popular hand applied Kikisui ATG |
| 919012 | 12mm Kikisui Tissue Tape x 50m | Popular hand applied Kikisui ATG |
| N45612 | 12mm ATG Econo Tape x 12 rolls | A budget low tack gun applied ATG |
| 9ATG12 | 3M 924, 12mm ATG x 12 rolls | 3M standard, gun applied ATG |
| 9ATGT | 3M 969, 12mm Extra Strong x 12 rolls | 3M extra strong ATG. Excellent for fillets! |
| 9232512 | Euratrans Repositional (White) x 12 rolls | Economical repositional gun applied ATG |
| 9230512 | Euratrans Permanent (Blue/White) x 12 rolls | Economical permanent gun applied ATG |

"ATG" Tape Gun



| Item Code | Specifications | Description |
|-----------|-----------------|------------------------|
| 9ATGD700 | 3M ATG Tape Gun | 3M ATG Application Gun |

Miscellaneous Tapes



| | Item Code | Specifications | Description |
|---|-----------|-------------------------------|--|
| A | 9F | P90 Filmoplast | Will not harden or penetrate surface; age resistant & neutral |
| B | 9810 | 810 Magic Permanent Tape 25mm | Thin, strong, & invisible on most surfaces |
| C | 9811 | 811 Magic Removable Tape 25mm | Perfect for screening mats when drawing lines or colouring bevels. |

GUNS & POINTS

Fletcher Framers Point Gun (Black) & Points



| Item Code | Specifications | Description |
|-----------|--|---|
| A N22201 | Fletcher Manual FrameMaster (black) | Industry standard manual point driver. |
| B N22205 | Framers Points for N22201 (3000/Box) | 16mm framers points. |
| C N22206 | 3/8 Glaziers Pts for N22201 (5000/Box) | 8mm glaziers points. |
| D N07300 | Fletcher Pneumatic FrameMaster | Very fast action & shoots well into the hardest timber. |
| E N08985 | Framers Points for N07300 (12000/Box) | Longer strip of points for less reloading. |

Fletcher Flexi Point Gun (Green) & Points



| Item Code | Specifications | Description |
|-----------|---|---|
| A N22204 | Fletcher Manual FlexiMaster (green) | Manual driver for flexible points. |
| B N22209 | Flexi Points for N22204 (3700/Box) | Flexi points can be bent back allowing art to be removed. |
| C N07400 | Fletcher Pneumatic FlexiMaster | Manual driver for flexible points. |
| D N08995 | Points for N07400 Multimaster (12000/Box) | Longer strip of point for less reloading. |

Fletcher Multi Master Gun (Yellow) & Points

| Item Code | Specifications | Description |
|-----------|--|---|
| A N07800 | Fletcher Manual Multimaster (yellow) | Ideal tool for joining stacked mouldings to each other. |
| B N08975 | Points for N07800 Multimaster (3000/Box) | |



Cassese Flexi Gun (Red) & Points

| Item Code | Specifications | Description |
|-----------|--|---|
| A NCSM15 | Cassese Manual Flexi Gun (red) | Manual driver for flexible points. |
| B 9CSAFPB | Cassese Flexi Points for NCSM15 (3400/Box) | Flexi points can be bent back allowing art to be removed. |




Cassese Pneumatic Flexi Guns (Red) & Points



| Item Code | Specifications | Description |
|------------|---|---|
| A NCS615A | Cassese Pneumatic 15 mm Flexi Gun | Lightweight flexipoint gun. Large trigger & weight distribution make this gun easy to use for long periods. Shoots 15mm points. |
| B 9FPG15 | Gold Points for NCS615A (15000/Box) | |
| 9FPB15 | Black Points for NCS615A Shoots 15mm points (15000/Box) | |
| C NCS625 | Cassese 25mm Pneumatic Flexi Gun | Ideal for large fitting applications. Shoots 25mm flexipoints. |
| D 9CSFPG25 | Gold Points for NCS625 (3000/Box) | |
| 9CSFPB25 | Black Points for MCS625 (3000/Box) | |


Fasco Pneumatic Staple Guns & Staples



| Item Code | Specifications | Description |
|-----------|--|---|
| A NST8016 | Fasco Pneumatic 80 Series Gun | 12.9mm broad crown '80' series Staples (12.9mm) |
| 9S3806 | 6mm Staples for NST8016 (20,000/Box) | 6mm galvanized '80' series staples. |
| 9S3810 | 10mm Staples for NST8016 (20,000/Box) | 10mm galvanized '80' series staples. |
| 9S3806S/S | 6mm Stainless Steel Staples for NST8016 (10,000/Box) | 6mm Stainless Steel '80' series staples. |
| NST97B16 | Fasco Pneumatic 97 Series Gun (6-16mm) | |
| 9S9710 | 10mm Staples for NST97B16/25 (5000/Box) | 4.5 mm '97' series metal staples, 10 mm |
| 9S9712 | 12mm Staples for NST97B16/25 (5000/Box) | 4.5 mm '97' series metal staples, 12 mm |
| 9S9714 | 14mm Staples for NST97B16/25 (5000/Box) | 4.5 mm '97' series metal staples, 14 mm |
| 9S9716 | 16mm Staples for NST97B16/25 (5000/Box) | 4.5 mm '97' series metal staples, 16 mm |




HANDTOOLS & RULERS

Rulers: (For Trimming & Glass Cutting and measuring Fillets)









| Item Code | Specifications | Description |
|-----------|--------------------------------------|---|
| N09522 | 52" Straight Edge (1320mm) | The edge is made of heavy weight anodized aluminum with a non-slip rubber base pad & easy grip feature. It is ideal for guiding, cutting, or scoring tools. |
| N09524 | 28" Straight Edge (710mm) | |
| N09100 | Fletcher Fillet Master | Professional tool for cutting perfect fillets |
| N09101 | Fletcher Fillet Master Extension Kit | Extension arm for fillet master |

Fletcher Tools




| Item Code | Specifications | Description |
|-----------|--------------------------------------|---|
| N04924 | Fletcher Mat Mate Oval/Circle Cutter | Cuts bevelled oval & circle openings in matboard by hand. |
| N05009 | Blades for N04924 (10/Box) | |
| N05007 | Blades for N04924 (100/Box) | |
| N01711 | Fletcher Designer II , Glass Cutter | Hand held glass cutter with a tungsten carbide wheel. |
| N03701 | Replacement Head for N01711 | |
| N06112 | Fletcher 8" Glass Pliers | Pliers to break out or nip glass up to 6mm thick |

Attach-Ez Products




| Item Code | Specifications | Description |
|-----------|---------------------------------|--|
| 9FF431 | Fine Fabric Hand Tool (Red) | The Fine Fabric gun allows you to mount Jerseys etc in a conservation manner, in minutes. No more sewing! |
| 9FF440-2 | 2 x Needles for 9FF431 | 2 needles with plastic base, suitable for fine fabrics. |
| 9FFS440-2 | 2 x Steel Needles for 9FF431 | 2 all steel needles, not recommended for finer fabrics |
| 9FF440-4 | 4 x Needles for 9FF431 | 4 needles with plastic base, suitable for fine fabrics |
| 9FF444 | ¼" Fine Fabric Fasteners (2000) | ¼" (6mm) T-end fasteners |
| 9FF442 | ½" Fine Fabric Fasteners (2000) | ½" (12mm) T-end fasteners |
| 9MT433 | Micro Stitch Hand Tool (Green) | The Micro Stitch dispatches a tiny, almost invisible T-ended fastener. It is perfect for mounting very fine fabrics. |
| 9MT441-2 | 2 x Needles for 9MT433 | 2 needles with plastic base, suitable for Micro Stitch. |
| 9MT441-4 | 4 x Needles for 9MT433 | 4 needles with plastic base, suitable for Micro Stitch. |
| 9MT443-WT | 4.4mm White Fasteners (2040) | 4.4mm white T-end fasteners |
| 9MT443-BK | 4.4mm Black Fasteners (2040) | 4.4mm black T-end fasteners |

Hand Tools

| Item Code | Specifications | Description |
|------------|-----------------------------|---|
| N22905 | Paper Trimmer | Trims paper off the back of frames approximately 3mm from edge. |
| N05009 | Blades for N22905 (10/Box) | |
| N05007 | Blades for N22905 (100/Box) | |
| 9Roller100 | 100mm Rubber Roller | Ideal for eliminating any air bubbles when putting down prints/posters onto self adhesive foam board. |
| 9Roller200 | 200mm Rubber Roller | |
| 92HP | Tapestry/Canvas Pliers | Light but strong molydendum pliers with rubber grips. |
| 92HPRJ | Replacement rubber jaws | 12cm jaws with rubber cushions to prevent slippage & breakage. |

Hand Tools

| Item Code | Specifications | Description |
|-----------|--|---|
| N23830 | Crimping Pliers | Used with Surflon nylon coated wire to secure the crimping sleeves. |
| N22939 | Kineotronic Static Brush | Wisk brush zaps static & gently brushes away dust from glass, acrylic & photos. |
| NRAPID23 | Rapid 23 Hand Tacker | This hand Tacker is perfect for use when stapling canvas & tapestries. It uses a very fine stainless steel staples. |
| 9S1306 | 6mm Stainless Steel Staples for NRAPID23 | |

CONSUMABLES

Consumables



| Item Code | Specifications | Description |
|-----------|---|--|
| A 9BUMP | Black Felt Bumpons (1000/roll) | Bumpons allow air to circulate behind the frame to prevent mould developing. |
| 9BUMPW | White Felt Bumpons (1000/roll) | |
| B NG9024 | Corner Weld Frame Glue (1 Pint) | Very strong wood glue, in convenient dispenser. |
| C 9EM | Wood/Aluminium Easel Back Stands (10/Pack) | Can be used on both metal & wood frames. |
| D 9MF001 | Micro Fibre Glass Cleaning Cloth | Cleans glass perfectly using water only, Will not scratch UV glass. |
| 9SSP | Round head S/Steel Pins (5000/Box) (500gms) | Won't rust, perfect for stretching needlework. |



| Item Code | Specifications | Description |
|-------------|---|---|
| A 9C012 | 12mm Canvas Offset Bracket (100/Pack) | Used to secure stretcher bar frames to an outer frame. Can also be used to hold thick frame packages into shallow rebated frames. |
| 9C010 | 10mm Canvas Offset Bracket (100/Pack) | |
| 9C06 | 6mm Canvas Offset Bracket (100/Pack) | |
| 9C03 | 3mm Canvas Offset Bracket (100/Pack) | |
| B 921401 | 22mm Elbow Brackets (50) | L-shaped brackets used to join 2 stacked frames together. |
| C 921402 | 12mm Elbow Brackets (50) | |
| D 9P-Colour | Black, Blue, Blond Maple, Dark Maple, Dark Walnut, Dark Gold, Green, Gold, Light Oak, Mahogany, Gold/Silver, Natural, Yellow, Silver, Walnut, White | Coloured putties for disguising & filling corners. Colours can be mixed to match. |

Consumables



| Item Code | Specifications | Description |
|-----------|------------------------------------|--|
| A 94Box | 4g x 10mm Screws (1000) | Ideal for small thinner frames, to prevent splitting timber. |
| B 96Box | 6g x 12mm Screws (1000) | Perfect for almost all frames and hangers. |
| C 98Box | 8g x 16mm Screws (1000) | For heavier, larger frames. |
| D 9512 | Small Turnbuttons (100) | For securing framing package into shallow rebated frames |
| 9515 | Large Turnbuttons (100) | |
| E 9AHLBOX | Large 1 hole angle wall hook (100) | Angle drive picture hooks. |
| 9AHL2BOX | Large 2 hole angle wall hook (100) | |
| F 9PH | Bronze Picture Rail Hooks (each) | For use with picture rails. |
| 9PHB | Brass Picture Rail Hooks (each) | |



| Item Code | Specifications | Description |
|------------|---------------------------------------|---|
| A 99/0001 | 100mm Protective Andywrap (10/Box) | Plastic strapping/wrapping film can protect made frames from scratching, also good for storing like mouldings together. |
| B N29206 | Cardboard corner Protectors (200/Box) | Protect frame corners from damage. |
| C 9KP985 | 900mm x 235m 90gsm Brown Kraft Paper | As a dust cover on back of frame, or to wrap customers work. |
| 9KP900 | 900mm x 340m 60gsm Brown Kraft Paper | |
| 9KPB | 900mm x 235m 85gsm Black Kraft Paper | Black paper for a more quality finish. |
| D 9SPACE4 | 4mm Black Channel Spacer (50m) | For creating an air space in the framing package. Comes in 2.5 m lengths for less wastage. |
| 9SPACE4CL | 4mm Clear Channel Spacer (50m) | |
| E 9SPACE8 | 8mm Black Channel Spacer (40m) | |
| 9SPACE8CL | 8mm Clear Channel Spacer (40m) | |
| F 9SPACE15 | 15mm Black Channel Spacer (25m) | |

CONSUMABLES

Consumables



| Item Code | Specifications | Description |
|-----------|---|--|
| A 9SP700E | 3M Adhesive Cleaner & Solvent | For removing adhesive labels etc. |
| B 9SP73E | 3M Photo Mount Spray Adhesive | Produces a high strength bond in seconds. |
| C 9SP77E | 3M Spray Adhesive | All purpose, heat & water resistant adhesive. |
| D 9SP75E | 3M Repositional Spray Adhesive | For use with CMC's to prevent mat slippage. Leaves no residue. |
| E N22400 | Secure-T Wood Hanging Kit | Total kit to hang 1 wood frame. |
| N22405 | Secure-T Aluminium Hanging Kit | Total kit to hang 1 Aluminium frame. |
| N22411 | Secure-T #425 Slotted Plate | Components sold individually. |
| N22412 | Secure-T #24 Mounting Bracket | Components sold individually. |
| N22413 | Secure-T #428 Head Screw | Components sold individually. |
| F N22410 | Secure-T Screw Head Spanner | Spanner to lock security hangers. |
| G 9VELCB | Black 22mm Round Rough Self Adhesive Dots. Sold per Meter | |
| 9VELR | Black 20mm Rough/Hook Self Adhesive. Sold per Meter | |
| 9VELS | Black 20mm Smooth/Loop Self Adhesive. Sold per Meter | |



| Item Code | Specifications | Description |
|--------------|--------------------------------|--|
| A 9STS500 | Small 1 Hole D-Ring (500/Box) | Standard one hole triangle hanger / D-ring. |
| 9STS1000 | Small 1 Hole D-Ring (1000/Box) | |
| B 9ST500 | Small 1 Hole D-Ring (500/Box) | Standard size, one hole strap hanger. Stronger than a standard D-ring. |
| 9ST1000 | Small 1 Hole D-Ring (1000/Box) | |
| C 9STL2HD100 | Large 2 Hole D-Ring (100/Box) | Large two hole strap hanger. Ideal for very large framed pieces and mirrors. |
| 9STL2HD500 | Large 2 Hole D-Ring (500/Box) | |
| D 9STLHD100 | Large 1 Hole D-Ring (100/Box) | Large one hole strap hanger. Ideal for larger framed pieces. |
| 9STLHD500 | Large 1 Hole D-Ring (500/Box) | |

Consumables



| Item Code | Specifications | Description |
|-----------|------------------------------------|--|
| A N24020 | Kit for Metal Frames (up to 30lbs) | Wallbuddies are self leveling picture hangers. |
| N24022 | Kit for Wood Frames (up to 30lbs) | |
| N24024 | Kit for Wood Frames (up to 60lbs) | |
| B NTV100 | Premium Glass Cleaner 26 oz | Tru Vue glass cleaner provides an excellent clean for all types of glass, including UV products. |
| C NTV111 | Premium Glass Cleaner 1 Gallon | |



| Item Code | Specifications | Description |
|-----------|-------------------------------------|---|
| A N25802 | Knife Holder (1) | Mighty Mounts are clear plastic holders for shadow box framing. Can be used to hold almost any size knife, plate, gun, spoon, coin and many other objects. Application tool included. |
| B N25804 | Spoon/Object Holder (12) | |
| C N25806 | Coin Holder (6sizes x 2) | |
| D N25808 | Plate Holder (12) | |
| E N25810 | Multi Purpose Holder (8sml + 8 lge) | |
| F N25812 | Gun Holder (1) | |


BLADES & GLASS CUTTING WHEELS

Fletcher 3100, 3000 & 8400 Items for use with Cardboard, Glass & Acrylic Cutters




| Item Code | Specifications | Description |
|-----------|--|--|
| A N05715 | Fletcher F-3100/3000 (1 set/Pack) | Hardboard Cutting wheel Set (MDF & Masonite) |
| B N02120 | Fletcher F-3100/3000 (10/Pack) | Steel Glass Cutting Wheel (used to score glass) |
| C N03126 | Fletcher F-3100/3000 (1/Pack) | Carbide Glass Cutting Wheel |
| D N05004 | Fletcher F-3100 Utility Blades (100/Box) | Use with C&H G60, BG6000/6100 Fletcher 3100 & 2200, Stanley Knives |
| E N05712 | Fletcher F-3100 Blades for perspex (10/Pack) | Perspex cutting blades |
| F N05001 | Fletcher F-3000 Mat Blades (10/Pack) | Mat trimming blades for use with Fletcher 3100 & 3000s |
| N05003 | Fletcher F-3000 Mat Blades (100/Pack) | |
| G N05711 | Fletcher M-81 Blades (10/Box) | Mat trimming blade for Fletcher 8400 Wallcutter |

Fletcher 1100, 2200 & 2100 Items



| Item Code | Specifications | Description |
|-----------|---|---|
| A N03130 | Fletcher F-1100 (1/Pack) | Carbide Glass Cutting Wheel |
| B N05007 | Fletcher F-1100 #3 Blades (100/Box) | Oval/Circle mat cutting blades |
| N05009 | Fletcher F-1100 #3 Blades (10/Box) | |
| C N05010 | Fletcher F-2200 / F-2100 Blades (10/Pack) | Superkeen Double Edge .015 thick mat blades |
| N05012 | Fletcher F-2200 / F-2100 Blades (100/Box) | Superkeen Double Edge .012 thick mat blades |
| N05015 | Fletcher F-2200 / F-2100 Blades (100/Box) | Superkeen Double Edge .015 thick mat blades |
| N05016 | Fletcher F-2200 Blades (100/Box) | Superkeen Single Edge .015 thick |
| D N05004 | Fletcher F-3100 Utility Blades (100/Box) | F-2200 mat trimming blades |

Mitre Saw & Guillotine Blades



| Item Code | Specifications |
|---------------|---|
| A NCS939Blade | Cassese 939 blades 300/96 |
| NCS-Z1570 | Cassese 960 blades 350/108 |
| NCS55Blade | Cassese 55M Guillotine Blades Sold per set (2 blades) |
| NCTD10TMOD | CTD 10" ATB 80 x 200 mm Tooth Timber Blade* |
| NCTD12L | CTD 12" HL 100 x 300 mm Aluminium Blade* |
| NCTD12T | CTD 12" 90 x 300 mm Mod Timber Blade* |
| NCTD14L | CTD 14" HL 100 x 350 mm Aluminium & Wood Blade* |
| NCTD14T | CTD 14" ATB 80 x 350 mm Mod Timber Blade* |
| NCTD14 MOD | CTD 14" ATB 100 x 350 mm Mod Timber Blade* |
| B N00301 | Morso Standard Mitre Blades. Sold per set (2 blades) |
| NLJ12214 | Fillet chopper Blades. Sold per set (2 blades) |

*Note - All CTD Saw Blades are sold individually (1 Box/ 1 Blade)

EDUCATIONAL BOOKS

HANGING SYSTEMS

Educational Books

These books are a great source of information on a variety of Picture Framing related topics



| Item Code | Specifications |
|-----------------|------------------------------------|
| A N27821 | Picture Framing, Volume 1 |
| N27822 | Mat cutting & Decoration, Volume 2 |
| N27824 | Needlework Framing, Volume 3 |
| N27825 | Conservation Framing, Volume 4 |
| N27827 | Mounting Methods, Volume 5 |
| N27829 | Photography Framing, Volume 6 |
| B N27831 | Framing Collectables |
| C N27833 | Decorator Accessories |
| D NB85X | Cutting, Carving & Decor |
| E N27870 | Pricing Custom Framing |

ArtiTeq Art Hanging Solutions



| Item Code | Specifications |
|-----------|--|
| AT97151 | Tube Art 1 Clickrail White Shiny + Perlon |
| AT97152 | Tube Art 2 Clickrail White Primer + Perlon |
| AT97153 | Tube Art 3 Clickrail Alum Brushed + Perlon |
| AT97154 | Tube Art 4 Clickrail Alum Brushed + Steel Wire |
| AT97051 | Blister Art 1 End Cap White |
| AT97052 | Blister Art 2 End Cap Gray |
| AT97053 | Blister Art 3 Corner Connector White |
| AT97054 | Blister Art 4 Corner Connector Gray |
| AT97055 | Blister Art 5 Click & Connect |
| AT97056 | Blister Art 6 Perlon + Cobra 200cms |
| AT97057 | Blister Art 7 Steel Wire + Cobra 200cms |
| AT97058 | Blister Art 8 Ratchet Hook |
| AT97059 | Blister Art 9 Side-loader Hook |
| AT97060 | Blister Art 10 Ratchet Hook + Steel Wire |
| AT97061 | Blister Art 11 Side-loader Hook + Steel Wire |
| AT97062 | Blister Art 12 Mini-Hook + Perlon |
| AT97063 | Blister Art 13 Ratchet Hook + Perlon |
| AT97064 | Blister Art 14 Side-loader Hook + Perlon |

ArtiTeq Click Rail Accessories



| Item Code | Specifications |
|------------------|-------------------------------|
| A AT94113 | Click & Connect White |
| B AT94119 | Click & Connect White 3-rings |



| Item Code | Specifications |
|------------------|----------------------|
| A AT94109 | Paperclip |
| B AT94100 | Connector Click Rail |



| Item Code | Specifications |
|------------------|----------------|
| A AT94104 | End Cap Gray |
| B AT94105 | End Cap White |



| Item Code | Specifications |
|------------------|------------------------|
| A AT9107 | Corner Connector White |
| B AT94108 | Corner Connector Gray |



| Item Code | Specifications |
|------------------|--|
| A AT94929 | Click Rail screws (Platinum/Copper) 3,5x45mm |
| B AT94930 | 6mm Universal Plug |

HANGING SYSTEMS

FOAMCORE PRODUCTS

ArtiTeq Perlon Wire




| Item Code | Specifications |
|-----------|---------------------------------|
| AT94480 | Perlon+Cobra 2.0mms 100cms p/pc |
| AT94481 | Perlon+Cobra 2.0mms 150cms p/pc |
| AT94482 | Perlon+Cobra 2.0mms 200cms p/pc |
| AT94484 | Perlon+Cobra 2.0mms 300cms p/pc |

ArtiTeq Steel Wire



| Item Code | Specifications |
|-----------|----------------------------------|
| AT94960 | Steel Wire + Cobra 1.8mms 100cms |
| AT94961 | Steel Wire + Cobra 1.8mms 150cms |
| AT94962 | Steel Wire + Cobra 1.8mms 200cms |
| AT96964 | Steel Wire + Cobra 1.8mms 300cms |

ArtiTeq Picture Hooks



| Item Code | Specifications |
|-----------|--------------------------------|
| A AT94242 | Picture-hook anchor 12.5 Kgs |
| B AT94205 | Mini-hook 4 Kgs |
| C AT94207 | Picture-hook round brass 5 Kgs |
| D AT94209 | Picture-hook heavy 7 Kgs |
| E AT94228 | Side-loader hook 15 Kgs |
| F AT94261 | Ratchet hook 15 Kgs |
| AT94262 | Loqger Hook 15 Kgs |

ArtiTeq Click Rail Tracks



| Item Code | Specifications |
|-----------|--------------------------------------|
| AT94303 | Click Rail White 200cms p/pc |
| AT94304 | Click Rail White 300cms p/pc |
| AT94301 | Click Rail Alum Anodised 200cms p/pc |
| AT94302 | Click Rail Alum Anodised 300cms p/pc |



| Item Code | Specifications |
|-----------|-------------------------------------|
| AT94341 | Click Rail Alum Brushed 200cms p/pc |
| AT94343 | Click Rail Alum Brushed 300cms p/pc |



| Item Code | Specifications |
|-----------|---|
| AT94348 | Click Rail White primer/mat 200cms p/pc |
| AT94349 | Click Rail White primer/mat 300cms p/pc |

| Picture Hook Code | Max Weight | Use with 2mm perlon | Use with 1.8mm s/steel wire |
|-------------------|------------|---------------------|-----------------------------|
| AT94205 | 4 Kgs | ⊕ | |
| AT94207 | 5 Kgs | ⊕ | |
| AT94209 | 7 Kgs | ⊕ | |
| AT94242 | 12 Kgs | ⊕ | |
| AT94261 | 15 Kgs | ⊕ | ⊕ |
| AT94227 | 15 Kgs | | ⊕ |

Regular Foamcore



| Item Code | Size | Thick | Sheets | Description | |
|-----------|-------------|-----------|--------|-------------|--|
| FC3271 | 51 x 76cm | 20" x 30" | 5mm | 25 | *White Foam Board with Clay coated paper Liners. * The clay coating assists the board from absorbing moisture, therefore reducing warping & bowing. |
| FC3274 | 81 x 102cm | 32" x 40" | 3mm | 25 | |
| FC3276A | 81 x 102cm | 32" x 40" | 5mm | 25 | |
| FC3277A | 102 x 152cm | 40" x 60" | 3mm | 25 | |
| FC3277 | 102 x 152cm | 40" x 60" | 5mm | 25 | |
| FC3275 | 122 x 244cm | 48" x 96" | 3mm | 25 | |
| FC3278 | 122 x 244cm | 48" x 96" | 5mm | 25 | |
| FC489610 | 122 x 244cm | 48" x 96" | 10mm | 14 | |
| FC489613 | 122 x 244cm | 48" x 96" | 13mm | 12 | |

Acid Free Foamcore



| Item Code | Size | Thick | Sheets | Description | |
|-----------|-------------|-----------|--------|-------------|---|
| FC32403AF | 81 x 102cm | 32" x 40" | 3mm | 25 | * This board has facing papers that are buffered with calcium carbonate to a pH Between 7.7 and 8.5 |
| FC32405AF | 81 x 102cm | 32" x 40" | 5mm | 25 | |
| FC3273AF | 102 x 152cm | 40" x 60" | 3mm | 25 | |
| FC3272AF | 102 x 152cm | 40" x 60" | 5mm | 25 | |

Cotton Rag Foamcore

| Item Code | Size | Thick | Sheets | Description | |
|-----------|-------------|-----------|--------|-------------|---|
| FC32405CR | 81 x 102cm | 32" x 40" | 5mm | 25 | * This Board has facing papers made of pure natural white cotton fibers, bonded to a Chemically inert, non acidic core * Perfect for conservation framing. |
| FC40605CR | 102 x 152cm | 40" x 60" | 5mm | 25 | |

Black Foamcore

| Item Code | Size | Thick | Sheets | Description | |
|-----------|------------|-----------|--------|-------------|---|
| FC3276B | 81 x 102cm | 32" x 40" | 5mm | 25 | * Made with the deepest, richest, black surface paper & foam available. |
| FC3277B | 81 x 102cm | 32" x 40" | 5mm | 25 | |

FOAMCORE PRODUCTS

Self Adhesive Foamcore



| Item Code | Size | Thick | Sheets | Description | |
|-----------|-------------|-----------|--------|-------------|--|
| FC3240SA | 81 x 102cm | 32" x 40" | 5mm | 25 | * Permanent Self adhesive foamboard , for fast, efficient mounting of posters etc. |
| FC3240SA5 | 81 x 102cm | 32" x 40" | 5mm | 5 | |
| FC4060SA | 102 x 152cm | 40" x 60" | 5mm | 25 | |
| FC4060SA5 | 102 x 152cm | 40" x 60" | 5mm | 5 | |
| FC4896SA | 122 x 244cm | 48" x 96" | 5mm | 25 | |

Repositional Self Adhesive Foamcore

| Item Code | Size | Thick | Sheets | Description | |
|------------|-------------|-----------|--------|-------------|---|
| FR32403SA | 81 x 102cm | 32" x 40" | 3mm | 25 | * Repositional Self adhesive foamboard. Low initial tack, giving you piece of mind during the mounting process. |
| FR32405SA | 81 x 102cm | 32" x 40" | 5mm | 25 | |
| FR40603SA | 102 x 152cm | 40" x 60" | 3mm | 25 | |
| FR40605SA | 102 x 152cm | 40" x 60" | 5mm | 25 | |
| FR48965SA | 122 x 244cm | 48" x 96" | 5mm | 25 | |
| FR32403SA5 | 81 x 102cm | 32" x 40" | 3mm | 5 | |
| FR32405SA5 | 81 x 102cm | 32" x 40" | 5mm | 5 | |
| FR40603SA5 | 102 x 152cm | 40" x 60" | 3mm | 5 | |
| FR40605SA5 | 102 x 152cm | 40" x 60" | 5mm | 5 | |

Perfectmount

| Item Code | Size | Thick | Sheets | Description | |
|-----------|-------------|-----------|--------|-------------|---|
| CPSFCEUB | 81 x 102cm | 32" x 40" | 5mm | 25 | * Self adhesive, pH neutral acrylic adhesive. The best self adhesive board on the market. |
| CPSFELB | 102 x 152cm | 40" x 60" | 5mm | 25 | |
| CPSFCEU | 81 x 102cm | 32" x 40" | 5mm | 1 | |
| CPSFEL | 102 x 152cm | 40" x 60" | 5mm | 1 | |

Series A1, A2 & A3 Foamcore

| Item Code | Size | Thick | Sheets | Description |
|-----------|----------------|-------------|--------|---|
| FTA13 | 594 x 841 (A1) | 3mm(white) | 30 | * Clay coated foam board, conveniently pre-cut into common art sizes. |
| FTA15 | 594 x 841 (A1) | 5mm (white) | 30 | |
| FTA23 | 594 x 420 (A2) | 3mm (white) | 30 | |
| FTA25 | 594 x 420 (A2) | 5mm(white) | 30 | |
| FTA33 | 297 x 420 (A3) | 3mm(white) | 30 | |
| FTA35 | 297 x 420 (A3) | 5mm(white) | 30 | |
| FTA15B | 594 x 841 (A1) | 5mm(black) | 30 | |
| FTA25B | 594 x 420 (A2) | 5mm(black) | 30 | |
| FTA35B | 297 x 420 (A3) | 5mm(black) | 30 | |

Mighty Core Foam Board

| Item Code | Size | Thick | Sheets | Description | |
|-----------|-------------|-----------|------------|-------------|---|
| FC960503 | 122 x 244cm | 48" x 96" | 6mm White | 12 | * MightyCore has a rigid, rock solid centre. Especially suited for large framed pieces. |
| FC960513 | 122 x 144cm | 48" x 96" | 12mm White | 12 | |

Gatorboard



| Item Code | Size | Thick | Sheets | Description | |
|------------|-------------|------------|--------------|-------------|--|
| FG48965B | 122 x 244cm | 48" x 96" | 5mm Black | 15 | * Gatorfoam is an extruded polystyrene foam board, bonded between 2 layers of wood fibre veneer. |
| FG48965N | 122 x 244cm | 48" x 96" | 5mm Neutral | 15 | |
| FG48965W | 122 x 244cm | 48" x 96" | 5mm White | 15 | |
| FG489610B | 122 x 244cm | 48" x 96" | 10mm Black | 10 | |
| FG48969 | 122 x 244cm | 48" x 96" | 10mm Neutral | 10 | |
| FG489610W | 122 x 244cm | 48" x 96" | 10mm White | 10 | |
| FG489619 | 122 x 244cm | 48" x 96" | 19mm Neutral | 8 | |
| FG489619W | 122 x 244cm | 48" x 96" | 19mm White | 8 | |
| FG6012010 | 152 x 305cm | 60" x 120" | 10mm Neutral | 10 | |
| FG6012019W | 152 x 305cm | 60" x 120" | 19mm White | 8 | |

Corrugated Flute board products - White Flute Board

| Item Code | Size | Thick | Sheets | Description | |
|-----------|-------------|-----------|--------|-------------|---|
| FL40323 | 81 x 102cm | 32" x 40" | 3mm | 10 | * Flute board is made from polypropylene plastic, and is totally inert. * Excellent for use as a filler board in conservation framing. |
| FL40325 | 81 x 102cm | 32" x 40" | 5mm | 10 | |
| FL60403 | 102 x 152cm | 40" x 60" | 3mm | 10 | |
| FL60405 | 102 x 152cm | 40" x 60" | 5mm | 10 | |

TRU VUE GLASS

Clear Glass: (Premium clear)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|----------------|-------------|--|
| GPCL2436 | 610mm x 914mm | 24" x 36" | Available in 3 sizes to limit wastage. Ready to use straight from the box. Thicker than normal float glass |
| GPCL3240 | 810mm x 1016mm | 32" x 40" | |
| GPCL3648 | 910mm x 1220mm | 36" x 48" | |

Clear UV Glass: (Conservation Clear)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|---|
| GLCUV3240 | 810mm x 1016mm | 32" x 40" | TruGuard UV Protection blocks 98% of harmful UV light. Essential for Conservation Framing. When handled correctly, no cleaning is required. |
| GLCUV | 914mm x 1220mm | 36" x 48" | |
| GLCUV4060 | 1016mm x 1525mm | 40" x 60" | |

Non-Glare UV Glass: (Conservation Reflection Control)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|---|
| GLNUV | 914mm x 1220mm | 36" x 48" | TruGuard UV Protection blocks 98% of harmful UV light. Etched on 1 side only for greater clarity & less distortion. |
| GLNUV4050 | 1016mm x 1270mm | 40" x 50" | |

Non-Glare Glass: (Reflection Control)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|--|
| GLNSP | 810mm x 1016mm | 32" x 40" | Available in 3 sizes to limit wastage. Offers Glare Free viewing of framed piece. Etched on 1 side only for greater clarity & less distortion. |
| GLN | 914mm x 1220mm | 36" x 48" | |
| GLN4050 | 1016mm x 1270mm | 40" x 50" | |

Anti-Reflective Glass: (AR Reflection Free)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|---|
| GLAR | 914mm x 1220mm | 36" x 48" | Lowest Reflection rating available. Provides the highest brightness & contrast levels possible. Virtually Invisible. Great for 3 dimensional, shadowbox framing. Less than 1% light reflection. |
| GLAR4060 | 1016mm x 1525mm | 40" x 60" | |

Anti-Reflective UV Glass: (Museum Glass)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|----------------|-------------|---|
| GLM | 914mm x 1220mm | 36" x 48" | Optimal clarity for true colour transmission. Lowest Reflection rating available. Provides the highest brightness & contrast levels possible. Virtually Invisible. Great for 3 dimensional, shadowbox framing. TruGuard UV Protection blocks 98% of harmful UV light. Less than 1% light reflection |
| GLM 3240 | 810mm x 1016mm | 32" x 40" | |

*Also available in Single Lite packs (code GLME)

TRU VUE ACRYLIC

Clear Acrylic: (Premium Clear Acrylite)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|---|
| TVA51181 | 1220mm x 2440mm | 48" x 96" | 4 General Purpose use. Picture Framing Grade (defect free) |

Clear UV Acrylic: (Conservation Clear Acrylite)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|------------------------------------|
| TVA51185 | 1220mm x 2440mm | 48" x 96" | 4 Blocks 98% of Harmful UV Rays |

Non-Glare Acrylic: (Reflection Control Acrylite)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|--|
| TVA51183 | 1220mm x 2440mm | 48" x 96" | 4 Single sided embossed for optimum clarity. 87% UV protection. Very fine embossed pattern delivers high resolution |

Non-Glare UV Acrylic: (Conservation Reflection Control Acrylite)

| Item Code | Sheet Size | Sheets/Pack | Features |
|-----------|-----------------|-------------|--|
| TVA51187 | 1220mm x 2440mm | 48" x 96" | 4 Blocks 98% of Harmful UV Rays. Single sided embossed for optimum clarity. Very fine embossed pattern delivers high resolution |

Tru Vue Optium Acrylic

Optium Acrylic combines the display quality of AR glass, with the protection of acrylic. Using a clear abrasion-resistant acrylic substrate, Tru Vue optically coats both sides of the substrate using a patented technology called Optium to create an anti-reflective, anti-static acrylic with superior optical qualities – keeping framed works of art fresh and attractive for years longer than regular acrylic.

| Item Code | Thickness | Sheet Size | Sheets/Pack | Features |
|-----------|-----------|-----------------|-------------|---|
| TVOA41713 | 3mm | 1042mm x 1805mm | 41" x 71" | 4 Cuts like regular acrylic. Anti-static & Anti-Reflective |
| TVORF | 4.5mm | 1042mm x 1805mm | 41" x 71" | 1 |

Anti Reflective Acrylic: (Optium Acrylic)

| Item Code | Thickness | Sheet Size | Sheets/Pack | Features |
|------------|-----------|-----------------|-------------|---|
| TVOMA41714 | 4.5mm | 1042mm x 1805mm | 41" x 71" | 1 Museum Acrylic. Optimal clarity for true color transmission. UV Treated |
| TVOMA41713 | 3mm | 1042mm x 1805mm | 41" x 71" | 1 Museum Acrylic. Lowest reflection rating available. Provides highest brightness and contrast levels possible. UV Treated |

* All acrylic products are available by the sheet

FRAMING MACHINERY

Fletcher 3100 - Multi Material Cutter

ORDER CODE: N04715

- Cuts Hardboard, Gatorboard, Foamboard, Glass & Perspex.
- Minimal assembly & mounts easily to the wall to save space.
- Single cutting head assembly accommodates easy to change pillar posts.
- Included measuring stop makes quick work of cutting materials to the same dimensions.
- Cutting capacity of 63" or 1600mm.

| Item Code | Accessories |
|-----------|--------------------------|
| N04114 | Production Stop |
| N05715 | Hardboard wheel Set |
| N05004 | Blades x 100 |
| N05712 | Perspex Blades x 10 |
| N02120 | Steel glass wheel x 1 |
| N03126 | Carbide glass wheel x 10 |



Fletcher 2200 Mat Cutting System

ORDER CODE: N04687 48" Cutter N04688 60" Cutter NO4686 40" Cutter

- Heavy duty anodized base that will not warp
- Polished ball bearing rollers glide the head along the hardened aluminium bar clamp.
- Easy to use squaring blocks allow you to adjust the mat guide parallel to the cut.
- Sight line gauge helps minimize overcuts
- Measuring stops included.

| Item Code | Accessories |
|-----------|-----------------------|
| N05012 | .012 D/s Blades x 100 |
| N05015 | .015 D/s Blades x 100 |
| N05016 | .015 S/s Blades x 100 |
| N04638 | 48" Base Plate |
| N04639 | 60" Base Plate |
| N04631 | Clamp Lifters |
| N04622 | Measuring Stops |
| N04635 | Angle Mat Guide |



Cassese CS79 Foot Operated Joiner (V-Nailer)

ORDER CODE: NCS79

- No air or mains supply needed.
- Can be used from front or rear by turning the top of the machine.
- Solid construction requiring minimal servicing.
- Wedge fully inserted indicator light.
- Fast & easy to use.
- Foot operated
- An ideal start-off machine

| Item Code | Accessories |
|-----------|---------------|
| NCSTBS | Soft Bung |
| NCSTBH | Hard Bung |
| NCS10204 | Driver Hammer |



Cassese CS88 Foot Operated Joiner (V-Nailer)

ORDER CODE: NCS88

- No air or mains supply needed
- Joining angle is adjustable
- The 90 degree fences are self adjusting & adapt to any moulding profile.
- Quick change pressor head for hard or soft mouldings.
- Nails can be stacked easily in higher mouldings.

| Item Code | Accessories |
|-----------|---------------|
| NCSTBS | Soft Bung |
| NCSTBH | Hard Bung |
| NCS10204 | Driver Hammer |



FRAMING MACHINERY

Cassese CS89 Air Operated Joiner (V-Nailer)

ORDER CODE: NCS89

- Air operated, 2 step pedal
- Joining angle is adjustable
- The 90 degree fences are self adjusting & adapt to any moulding profile.
- Quick change pressor head for hard or soft mouldings.
- Nails can be stacked easily in higher mouldings.
- Clamping & joining take place at the same time.

| Item Code | Accessories |
|-----------|---------------|
| NCSTBS | Soft Bung |
| NCSTBH | Hard Bung |
| NCS10204 | Driver Hammer |



Cassese CS299M XL Air Operated Joiner (V-Nailer)

ORDER CODE: NCS299M XL

- Unique double-action rebate clamp preventing corners from offsetting.
- Joining angle is adjustable
- Position Brake Button allows you to stack wedges in any position of the moulding with ease.
- Quick change pressor head for hard or soft mouldings.
- The 90 degree fences are self adjusting & adapt to any moulding profile.

| Item Code | Accessories |
|-----------|------------------------|
| NCSBH | Round Green Bung 45mm |
| NCSBH30 | Round Green Bung 30mm |
| NCSBS | Round Yellow Bung 45mm |
| NCSBS30 | Round Yellow Bung 30mm |
| NCS10204 | Driver Hammer |
| NCSTBS | Soft Triangle Bung |
| NCSTBH | Hard Triangle Bung |



Cassese CS55M Foot Operated Guillotine

ORDER CODE: NCS55M

- Uses the Cassese Direct One Step Measuring System.
- The lines on the measuring scale are colour coded to minimize errors.
- The Rebate supports are spring loaded, making adjustment between mouldings very quick.
- Safe & reliable blade changing due to two blade locating pins.

| Item Code | Accessories |
|------------|-------------------|
| NCSREXTARM | R/H extension arm |
| NCSEXTARM | L/H support arm |
| NCS55Blade | Guillotine Blades |



Cassese CS960 Hand Operated Double Mitre Saw

ORDER CODE: NC960

- Cuts Mouldings up to 160mm wide & 110mm high.
- Horizontal cutting stroke for better quality of cut.
- Foot operated clamping system
- Hand operated cutting stroke.
- Internal cutting support prevents the back of the moulding from chipping.
- Features a concrete base & cast iron cutting head.

| Item Code | Accessories |
|------------|-------------------|
| NCS-Z15732 | 2m right ext arm |
| NCS-Z1570 | Blades, 108/350mm |



FRAMING MACHINERY

Cassese CS969 Automatic Operated Double Mitre Saw

ORDER CODE: NCS969 (Triple Phase) and NCS969220M (Single Phase)

- Cuts Mouldings up to 160mm wide and 110mm high
- Four air operated clamps ensure moulding securely held.
- Minimal moulding waste.
- Can cut up to 500 chops/hour
- Exclusive measuring system with direct read-off of both rebate and outside length.
- Horizontal cutting stroke
- Cast concrete base



| Item Code | Accessories |
|-------------|------------------|
| NCS969Blade | Blades, 96/300mm |
| NCS969Exte | .7m right ext |
| NCS939Blade | Blades, 96/300mm |

Leonardo Silent Compressor Unit

ORDER CODE: NLEONARDO

- Virtually maintenance free. No oil required
- Noise level of only 65 decibels maximum (ideal for retail environments)
- Light weight & Portable. Can cut up to 400 chops/hour
- 1.0 HP motor, 116 Max Psi Pressure, 1450 Rpm Motor



COMPUTER MAT CUTTING SYSTEMS


Wizard Computerized Mat Cutters

ORDER CODE: N8500 : N8000 : N5000

- Over 100 standard templates & cutArt, providing 1000's of finished design combinations, up to 6 layers.
- Cut the thinnest v-groove to 8-ply & all in between.
- Easily place a v-groove around any opening.
- Design complex multiple layer & opening designs from the front or back.
- Cut any mat as a reverse bevel.
- Easy layout with one click alignment.
- Create custom designs.
- Cut any True Type font.
- Load & save mats from a disk, hard drive or point of sale software.
- Adjust reveals to any width.
- Cut paper mats, suede, linen, black core, metallic, colour core, & many other textured matboard.
- ST500 Straight Line Trimmer allows for easy measuring & trimming of Matboard & foamcore (8500 model).
- Cutting speed of 15" per second (ips) (8500 model).
- Toll-free technical support.
- Free lifetime Wizard software upgrades
- Rental option available.



3 MODELS AVAILABLE:
 Wizard 8500
 Wizard 8000
 Wizard 5000



Wizard Integrated Framer Visualization Software

ORDER CODE: N30000451

- Capture images using a digital camera, import external photos, or select an image from the Virtual Gallery software
- Select matboard colors, mouldings, and fillets from multiple images
- Design up to 6 mat layers, 6 frames, and 3 fillets
- Choose any of the Wizard mat templates as the opening shape
- Place and space V-Grooves around openings
- Change the border width
- Make design alterations with just a few clicks
- Print the results, or save the files as an image or as a Wizard cut file
- Integrates seamlessly with Wizard mat cutters
- Integrates camera control for supported Digital Cameras
- Select colours using on eye dropper for any samples in the image
- Select textures from artwork, matboard or fabric samples
- Zoom facility for greater precision on moulding textures
- Edit the reveal for each layer



Bienfang Hot & Cold Vacuum Press

ORDER CODE: BF4468H

The Bienfang® Vacuum Press is the preferred choice of professionals. The Vacuum Press offers a space-saving work surface and the option of processing several pieces of varying size and thickness simultaneously. Complete with digital display and touch pad controls, it is guaranteed to provide years of service with its durable framework and built-to-last construction.

- Special heat activated foam board allow for low temp, high bond operation. Allows for quick mounting.
- Dura-Box alloy frame with tight vacuum seal.
- Maintenance free vacuum pump.
- Programmable system controller with factory installed programs for temperature & dwell times.
- Adjustable temperature for Cold or Heat mounting options.


Bienfang
Framing Products



| Item Code | Accessories |
|--------------|---|
| BF934 | Release paper, coated both sides (1070mm x 27.3m) |
| BF1309 | Foam Blanket (1070mm x 2.6m) |
| BFSTAND | Floor stand for BF4468H |
| FB32405SSPHA | 32" x 40", 5mm Low-heat activated foam board |
| FB40605SSPHA | 40" x 60", 5mm Low-heat activated foam board |

INDEX

| | | | | | |
|---|--------------------------|-------|---|-------------------------|--------|
| A | Acrylic products | 25 | G | Glass | |
| | Adhesives | | | Cleaning cloths | 12 |
| | Corner Weld | 12 | | Cleaning liquid | 15 |
| | 3M Photo Mount | 14 | | Cutters | 10, 26 |
| | 3M Repositional spray | 14 | | Cutting Wheels | 16 |
| | 3M Spray Adhesive | 14 | | Pliers | 10-11 |
| | Air | | | Tru Vue | 24 |
| | Compressor | 30 | H | Handtools | |
| | Tools | 10-11 | | Hangers D-rings | 14 |
| | Attach-Ez | 10 | | Hanging System | 19, 20 |
| | ATG Tape/Dispenser | 7 | K | Kraft paper | 13 |
| B | Backing Tape | 6 | L | Lineco Tapes | 6 |
| | Black Kraft Paper | 13 | M | Magic Tape | 7 |
| | Blades | | | Mitre Saws | 29, 30 |
| | Cassese Saw | 17 | | Mighty Mounts | 15 |
| | Cassese Guillotine | 17 | O | Oval/Circle Matcutter | 10 |
| | CTD Saw | 17 | P | Paper trimming knife | 11 |
| | Morso Guillotine | 17 | | Pliers | |
| | Fillet Cutter | 17 | | Canvas | 11 |
| | Fletcher M-81 | 16 | | Crimping | 11 |
| | Fletcher 1100 | 16 | | Glass | 10 |
| | Fletcher 2200 | 16 | | Protective corners | 13 |
| | Fletcher 3000 | 16 | | Putty | 12 |
| | Fletcher 3100 | 16 | R | Rulers | 10 |
| | Books | 18 | | Rollers | 11 |
| | Brush | | S | Screws | 13 |
| | Kineotronic Static | 11 | | Security Hangers | 14 |
| | Bump-ons | 12 | | Spacers | 13 |
| C | Canvas | | | Sprays | 14 |
| | Offset clips | 12 | | Staplers | |
| | Pliers | 11 | | Fasco | 9 |
| | Stapler | 11 | | Rapid 23 | 11 |
| | Cassese | | | Stainless Steel staples | 9, 11 |
| | Flexi Guns | 8-9 | | Stainless Steel pins | 12 |
| | Guillotine | 29 | | Static wisk brush | 11 |
| | Mitre Saw | 29-30 | T | Tapes | |
| | V-Nailers | 27-28 | | ATG | 7 |
| | V-Nails | 5 | | Backing | 6 |
| | Channel Space | 13 | | Lineco | 6 |
| | Conservation Acrylic | 25 | | Miscellaneous | 7 |
| | Conservation Glass | 24 | | Specialty | 6 |
| | Corner Weld Glue | 12 | V | Vacuum Press | 33 |
| | Crimping Sleeves | 4 | | V-nails | |
| D | Double sided Tape | 7 | | Cassese | 5 |
| | D-rings | 14 | | Fletcher | 5 |
| E | Easel Mates | 12 | | V-nailers | 27, 28 |
| | Educational Books | 18 | | Velcro | 14 |
| F | Fillet Master Ruler | 10 | W | Wall Cutter | 26 |
| | Fillet Cutter blades | 17 | | Wires | 4 |
| | Filmoplast P90 | 7 | | Supersoft strand | 4 |
| | Fletcher Blades | 16 | | Softstrand | 4 |
| | Fletcher Guns | 8 | | Surflon | 4 |
| | Fletcher Handtools | 10 | | Wire Winders | 4 |
| | Fletcher 2200 Matcutter | 26 | | | |
| | Fletcher Points | 8 | | | |
| | Fletcher Tools | 10 | | | |
| | Fletcher V-nails | 5 | | | |
| | Fletcher 3100 Wallcutter | 26 | | | |



LARSON · JUHL

www.larsonjuhl.com.au

NATIONAL FREE CALL: 1300 652 956

NSW
5 Goulburn St
Kings Park 2147
Tel: 02 9679 8722
Fax: 02 9679 8755

Victoria
27/350 Settlement Rd
Thomastown 3074
Tel: 03 9464 5566
Fax: 03 9464 5544

Queensland
Unit 1/915 Nudgee Rd
Banyo 4014
Tel: 07 3267 5333
Fax: 07 3267 5444

South Australia
258 Grange Rd
Flinders Park 5025
Tel: 08 8234 5220
Fax: 08 8234 5221

Western Australia
19 Bishop St
Jolimont 6014
Tel: 08 9383 9111
Fax: 08 9383 9118

Tasmania
Tel: 03 9464 5566
Fax: 03 9464 5544